Radioiodine treatment for Hyperthyroid Cats

Do not start

medication

REFER

REFER

0345 544 4300

Hyperthyroid

Cat Centre®

Case Selection

1. Newly diagnosed

Clinical history may include:

- Polyphagia
- Weight loss
- Increased activity
- Sickness
- Diarrhoea
- PU PD
- Tachypnoea

Which tests?

Biochemistry

Electrolytes

Prior to admission we require:

Haematology
Endocrinology

Physical findings may include:

- Goitre
- Tachycardia
- Low body condition score
- Low muscle score
- Hypertension

including total T4

and TSH

any additional tests required pre admission.

2. Established well-controlled

As 1 but euthyroid using methimazole or

Diganostics include:

 Total T4 above reference interval

Radio-iodine is commonly given in capsule form orally - it cannot be mixed with food. Anxious cats are often compliant when mildly sedated but very aggressive cats are unsuitable.

Prior to admission we strongly encourage:

• BP estimation and retinal fundoscopy

• Urinalysis to include SG and UPC

Do not change

medication

Referral Options

Which laboratory?

Whenever possible please send all submissions to IDEXX Wetherby using your own account with our Panel Codes, or our IDEXX Submission Form (available at www.hyperthyroidcatcentre.co.uk or by calling us on 0345 544 4300). This avoids variability between different laboratories.

Option 1

Register at

www.hyperthyroidcatcentre.co.uk

- Complete on-line referral form
- Upload clinical history
- Upload laboratory results
- Give Client Information Booklet to client*

Without registering at

www.hyperthyroidcatcentre.co.uk

- Download interactive pdf referral form and return via email enquiries@hcc.vet, with clinical history and laboratory results
- Download pdf referral form and print it, complete and return via fax or post, with clinical history and lab results
- Give Client Information Booklet to client*

Clinical history and laboratory results

- Address: 433 Birch Park, Thorp Arch, Wetherby,
- Give Client Information Booklet to client*

Fax or post

• Fax: 0345 544 0300

West Yorkshire LS23 7FG

3. Unstable diagnosis or with co-morbidities

Results other than from Idexx Wetherby are likely to be repeated (see Which

laboratory?) – we will review the clinical history and results to date and advise of

As 1 but may include

diagnosis

iodine-depleted diet.

- Diabetes mellitus
- Congestive heart failure
- Chronic renal disease
- Pancreatitis
- Hypertension
- Prior thyroidectomies

FeLV / FIV / Coronavirus

Call to

REFER

REFER

REFER Option 4

© Hyperthyroid Cat Centre 2019

Call us on 0345 544 4300

Give Client Information Booklet to client*

*available as pdf at our website or in paper form on request

4. Ambiguous diagnosis

- Clinical history and physical findings may be subtle or absent
- Diagnostics typically total T4 in upper third of euthyroid range

Options include:

- Re-test the current sample using reference laboratory
- Test free T4 on the current sample
- Test TSH on the current sample
- Check for co-morbidities (that may depress T4 to euthyroid range)
- Consider scintigraphy
- Repeat the above in 6-8 weeks' time

Which thyroid function tests?

Total T4 is:

- Supportive when in upper third of RI
- Sensitive to NTI and in FH upper third of RI

Free T4:

Option 2

Option 3

- Excludes FH when in RI

TSH:

- Depressed below RI in ~99% of FH

- Levels above 0.5ng/ml may support

